

REMARKS

This Amendment responds to the Office Action dated September 9, 2004 in which the Examiner rejected claims 1-5 under 35 U.S.C. §103 and objected to claim 1.

Applicants acknowledge receipt of references U and V. However, applicants respectfully request the Examiner provide copies of references W and X.

As indicated above, the specification has been amended to correct typographical errors. Applicants respectfully request the Examiner approves the corrections.

As indicated above, claim 1 has been amended for a typographical error. Applicants respectfully request the Examiner approves the correction and withdraws the objection to claim 1.

Additionally, claim 1 has been amended to incorporate claim 4 in order to make explicit what is implicit in the claim. Applicants respectfully submit that the amendment is unrelated to a statutory requirement for patentability.

Claim 1 claims a delay time estimation method for estimating a delay time in a logic circuit that includes a MOS transistor while employing a delay library including function information for specifying polygonal lines that provides a mode of an I_{ds} - V_{ds} characteristic at a given potential and also includes function information related to a slew rate specifying a fixed delay. The method comprises the steps of: modeling the MOS transistor by a resistive element having fixed resistance and a power source voltage that varies with time; and segmenting an operating characteristic of the MOS transistor thus modeled into a first region in which a current increases as a gate potential varies, a second region corresponding to a saturation region of the MOS

transistor in which region the current gradually decreases as the gate potential remains constant, and a third region corresponding to a linearity region of the MOS transistor in which region the current decreases exponentially as the gate potential remains constant.

Through the method of the claimed invention, a) modeling an I_{ds} - V_{ds} characteristic by polygonal lines and b) constructing a delay library by functional information specifying the polygonal lines and functional information of a input slew rate, as claimed in claim 1, the claimed invention provides a delayed time estimation method that matches the characteristics of the transistor. Furthermore, when the delay library is constructed as claimed, interpolation errors are reduced and the size of the library is reduced. The prior art does not show, teach or suggest the method as claimed in claim 1.

Claims 1-3 and 5 were rejected under 35 U.S.C. §103 as being unpatentable over *Arunachalum et al* (CMOS gate delay models for general RLC loading, IEEE 1997) in view of *Cocchini et al* (A comprehensive submicrometer MOST delay model and its application to CMOS buffers, August 1997). In addition, claim 4 was rejected under 35 U.S.C. §103 as being unpatentable over *Arunachalum et al* and *Cocchini et al* and further in view of *Iwanishi* (U.S. Patent No. 6,629,299).

Arunachalum et al appears to disclose a CMOS gate delay model for first computing the voltage wave-shape as a function of time and fitted by several ramps for several regions. In particular, a two-piece model shows excellent agreement with SPICE.

Thus, nothing in *Arunachalum et al* shows, teaches or suggests a) modeling an I_{ds} - V_{ds} characteristic by polygonal lines and b) constructing a delay library by

functional information specifying polygonal lines and functional information of an input slew rate as claimed in claim 1. Rather, *Arunachalum et al* merely discloses using two segments.

Cocchini et al appears to disclose a delay model for MOS transistors including a region 0 when the transistor is off, a region 1 when M_1 is in saturation, while the input voltage is still increasing, a region 2 where M_1 is in saturation and V_T is constant, a region 4, where M_1 is in linearity and V_1 is stuck at V_{DD} .

Thus, nothing in *Cocchini et al* shows, teaches or suggests a) modeling an I_{ds} - V_{ds} characteristic by polygonal lines and b) constructing a delay library by functional information specifying polygonal lines and functional information of an input slew rate as claimed in claim 1. Rather, *Cocchini et al* merely discloses five regions, none of which is in a region which current decreases exponentially as the gate potential remains constant.

Iwanishi appears to disclose a method for representing a delay library which can deal with signal waveforms of small signal-swing and a method for generating the delay library. (col. 2, lines 17-20) A method is disclosed for representing a delay library used for delay calculation of a cell by assuming that signal having a first edge and a step waveform which lags the first edge by a fixed time interval, and a signal having a step waveform by said fixed time interval as an input signal to said cell, and representing a driving ability of said cell either by a function or in a table having as parameters a slew of the first edge, a slew of the second edge, said fixed time interval and load capacitance driven by said cell. (col. 2, lines 23-33) Further, a method is disclosed for representing a delay library used for delay calculation of a cell by assuming that a signal having a first edge and a second edge which lags the

first edge by a fixed time interval is entered as an input signal to said cell, and representing a value of said fixed time interval required for an output signal waveform to make a full swing as a full swing check value when said input signal is entered at said cell either by a function or in a table having a parameters a slew of the first edge and load capacitance driven by said cell. The invention further discloses a method for generating a delay library used for delay calculation of a cell, comprising: a first step of finding an output signal waveform of said cell, based on an input signal waveform having a first edge and second edge which lags the first edge by a fixed time interval, and on output load capacitance; a second step of determining whether the output signal waveform found in the first step makes a full swing or not; and a third step of changing a value of said fixed time to make a full swing in the second step, and repeating the first to third step to find the value of said fixed time interval required for the output signal waveform of said cell to make a full swing as a full swing check value, and thereby to generate said delay library by using said full swing check value. (col. 3, lines 6-31)

Thus, *Iwanishi* merely discloses a method of generating a delay library. However, nothing in *Iwanishi* shows, teaches or suggests a) modeling an I_{ds} - V_{ds} characteristic by polygonal lines and b) constructing a delay library by functional information specifying the polygonal lines and functional information of an input slew rate as claimed in claim 1.

Since nothing in *Arunachalum et al*, *Cocchini et al* or *Iwanishi* shows, teaches or suggests a) modeling an I_{ds} - V_{ds} characteristic by polygonal lines and b) constructing a delay library by functional information specifying polygonal lines and functional information of an input slew rate as claimed in claim 1, applicants

respectfully request the Examiner withdraws the rejection to claim 1 under 35 U.S.C. §103.

Claims 2-3 and 5 depend from claim 1 and recite additional features. Applicants respectfully submit that claims 2-3 and 5 would not have been obvious within the meaning of 35 U.S.C. §103 over *Arunachalum et al* and *Cocchini et al* at least for the reasons as set forth above. Therefore, applicants respectfully request the Examiner withdraws the rejection to claims 2-3 and 5 under 35 U.S.C. §103.

New claim 6 has been added and recites additional features. Applicants respectfully submit that claim 6 is also in condition for allowance, at least for the reasons as set forth above.

The prior art of record, which is not relied upon, is acknowledged. The references taken singularly or in combination do not anticipate or make obvious the claimed invention.

Thus it now appears that the application is in condition for reconsideration and allowance. Reconsideration and allowance at an early date are respectfully requested.

If for any reason the Examiner feels that the application is not now in condition for allowance, the Examiner is respectfully requested to contact, by telephone, the applicants' undersigned attorney at the indicated telephone number to arrange for an interview to expedite the disposition of this case.

In the event that this paper is not timely filed within the currently set shortened statutory period, applicants respectfully petition for an appropriate extension of time. The fees for such extension of time may be charged to our Deposit Account No. 02-4800.

In the event that any additional fees are due with this paper, please charge
our Deposit Account No. 02-4800.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date: January 6, 2005

By: 

Ellen Marcie Emas
Registration No. 32,131

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620